

Quick Start Guide

Mobilux Hawking Cabinet

Thank you for purchasing a Mobilux cabinet.

This guide is designed to ensure you get the optimum performance from your Mobilux cabinet at all times.

By positioning and operating the cabinet correctly and then following a few steps to look after it, your Mobilux cabinet will run properly and efficiently.



Positioning Your Cabinet

- The Mobilux cabinet is designed to be mounted on the Trike provided and only connected to the charging unit for the duration of the charge. It should not be permanently connected as this could damage the charging unit.

Charging unit




Operating Your Cabinet


- The cabinet should be left to stand for 4 hours after delivery before being plugged in for the first time.
- Always keep the lids closed when not in use as this will aid performance.
- It will take approximately 24 hours for the cabinet to get down to the required temperature. Ice cream should not be put inside the cabinet until the correct temperature has been reached.

Operating Your Cabinet continued...

- The on / off switch is located next to the temperature selection switch on the control panel.




- To charge the cabinet plug the charging unit into the red socket on the cabinet then plug the charging unit into the mains power supply and switch on.
- There is a red 'power on' light on the charging unit and a light which illuminates yellow whilst charging. This turns green when fully charged.



Temperature Adjustment

- The temperature selection switch can be altered between scooping temperature (Normal) and impulse temperature (Super).




Looking After Your Cabinet

- Regularly (once a month) check grille at the rear of the cabinet and brush all dust and debris away to allow ventilation.



Looking After Your Cabinet - Defrost

- When ice begins to build up on the inside of the cabinet (approximately 1cm or 1/2 an inch thick) this indicates that defrosting is required.
- A manual defrost should take place at least every 6 months. To do this remove all stock and simply turn the cabinet off then unplug it. Remove any internal drain plugs and leave for up to 24 hours.
- Empty the cabinet of all products: isolate the unit by completely removing the plug from the power supply.
- Place a tray under the external drain hole and remove the external & internal plugs.
- To aid defrost place a container (5 - 10 litres) of warm water inside and close the lids. When the ice has melted sufficiently it can be removed.



Drain plug

- Never use sharp implements to scrape the ice as this may damage the cabinet refrigeration.
- Replace the drain plugs.
- When all the ice has melted wipe out the inside with a clean dry cloth, replace the drain plugs and switch the power supply back on. It may take 24 hours to return to normal temperature.
- Restock when the cabinet has returned to the correct temperature.

Warranty

Your cabinet is supplied with a 12 month parts and labour warranty to protect you against manufacturers defects. If you need assistance please call:

Wall's Refrigeration Solutions Customer Service Department on 0845 127 2527

In order to log a service call you will need to provide the serial number for the cabinet at fault. This can be found on the information plate that is located on the back of the cabinet. Use this space to make a note of the serial number for future reference using a ball point pen:

SERIAL NUMBER

Please note that the basic checks detailed in this guide are usually excluded from the warranty. See standard terms and conditions for further information.

Non-warranty calls will be charged for.

If you are in any doubt contact our Customer Services Department.

Cabinet Contents Insurance

Please note that your cabinet warranty excludes any liability for loss of product or your insurance excess no matter how caused.

We recommend that you check your Store Policy to ascertain if you are covered for such an eventuality and if not then take separate insurance.

It is recommended that you run your cabinet for 24 hours before placing stock inside.

Waste Electrical & Electronic Regulations (WEEE)

In accordance with the WEEE regulations, Wall's Refrigeration Solutions is responsible for the final disposal of all equipment purchased on or after the 13th August 2005 - customers will be charged for the distribution costs at the time of collecting the unit.

For equipment purchased before 13th August 2005 Wall's Refrigeration Solutions will make a commercial charge on the customer which covers both the disposal of the unit(s) and the associated distribution costs.

